Soil Environment Services Ltd

AGRICULTURAL LAND CLASSIFICATION

Mabbett & Associates Ltd

Leaford Solar Farm



Our Ref: SES/MA/FSF/#1 Date: 20th October 2023

Client:

Mabbett & Associates Ltd 13 Henderson Road Inverness IV1 1SN

AGRICULTURAL LAND CLASSIFICATION

Leaford Solar Farm

A report prepared on behalf of *Soil Environment Services* by:

Louise Tavasso BSc (Hons) M.I.SoilSci *Environmental Consultant*

Approved by:

Dr Robin S Davies BSc PhD F.I.SoilSci PGC Contaminated Land Management Managing Director

This report has been prepared by Soil Environment Services with all reasonable skill, care and diligence, within the terms of The Contract with The Client. The report is the property of The Client who can assign this report to any third party who will then be afforded the same assurances as detailed within the terms of the original Contract with The Client.

Soil Environment Services

Agricultural Land Classification, Contaminated Land Risk Assessment, Mineral Extraction Soil Planning Unit 8, Stocksfield Hill, Stocksfield, Northumberland, NE43 7TN Tel: 01661 844 827, Email: rd@soilenvironmentservices.co.uk www.soilenvironmentservices.co.uk

CONTENTS

			Page
1.	INTROD	UCTION	
	1.1 Metho	odology	4
	1.2 Previo	ous ALC gradings	4
2.	CLIMAT	IC LIMITATIONS	5
	2.1 Overa	all climate	5
	2.2 Local	climate	5
3.	SITE LIM	MITATIONS	6
	3.1 Gradi	ient	6
	3.2 Micro	orelief	6
	3.3 Flood	ing	6
4.	SOIL LIN	MITATIONS	7
	4.1 Textu	re and structure	7
	4.2 Depth	1	8
	4.3 Stonii	ness	8
	4.4 Chem	ical	8
5.	INTERAC	CTIVE LIMITATIONS	9
	5.1 Wetne	ess	9
	5.2 Droug	ghtiness	9
	5.3 Erosio	on	9
6.	AGRICU	LTURAL LAND CLASSIFICATION	10
	6.1 Most	limiting factor	10
	6.2 Curre	ent ALC grading	10
DR	AWING 1	ALC Grade and survey points - North	
DR	AWING 2	ALC Grade and survey points - South	
API	PENDIX A	Survey profile data sheet	
CT A	TEMENT OF	COMPETENCE	

STATEMENT OF COMPETENCE
GENERAL INFORMATION SOURCES
GLOSSARY

1. INTRODUCTION

An Agricultural Land Classification (ALC) has been carried out on 69.5 ha of land at Fulford Solar Farm (Drawing 1). The site is centred on Grid Ref. 395615, 339517.

The original survey was conducted in May 2023 with an additional area of land undertaken in September 2023 and these classify the land into one or more of the below grades (see Drawing 1). During the survey, the site was in agricultural use.

1.1 Methodology

Agricultural land is classified into the following grades according to the 1988 guidelines¹.

Grade	Description
1	Excellent quality agricultural land with no or very minor limitations to agricultural use.
2	Very good quality agricultural land with minor limitations which affect crop yield, cultivation or harvesting.
3a	Good quality agricultural land capable of producing moderate to high yields of a narrow
3 b	range of arable crops or moderate yields of a wider range of crops. Moderate quality agricultural land capable of producing moderate yields of a narrow range of crops or lower yields of a wider range of crops.
4	Poor quality agricultural land with severe limitations which significantly restrict the range of crops and/or level of yields.
5	Very poor quality agricultural land with very severe limitations which restrict use to permanent pasture or rough grazing, except for occasional pioneer forage crops.

The classification includes an initial desktop investigation to examine previously mapped soil types and to note the drift and solid geology followed by the field survey consisting of auger borings at one every 100 m in general and a pit excavated in each of the main soil types to confirm the structures and stone content if needed. Laboratory analysis of soil textures is undertaken if needed in order to confirm textures such the heavy/medium clay and medium/fine sand categories or stone content. All site survey profile data is listed in Appendix A.

All of the potential limitations are assessed and then the most limiting factor dictating the ALC grade was determined for this site and is detailed in Table 2.

1.2 **Previous ALC gradings**

Grading on the MAFF (1983) 1: 250 000 provisional map indicated the site is mapped as Grade 3 land. No detailed surveys have been undertaken for the site however some nearby surveys grade the surrounding land as an ALC Grade 3a/3b and 4.

Page 4 Soil Environment Services

2. **CLIMATIC LIMITATIONS**

2.1 **Overall climate**

The climatological data for the site centre is detailed in Table 1.

Clii	Table 1 matological informati	on ³
Factor	Units	Value
Altitude AOD	m	185
Accumulated temperature	day°C (Jan-June)	1256.3
Average Annual Rainfall	mm	832.3
Field Capacity Days	days	206.3
Moisture Deficit Wheat	mm	70.25
Moisture Deficit Potatoes	mm	52.2
Overall climate ALC Grade	Gra	de 1

Climate is not a significant limiting factor for the site.

2.2. Local climate

Local climate will not result in a significant limiting factor for this site.

Page 5 Soil Environment Services

3 **SITE LIMITATIONS**

3.1 Gradient


The gradient of less than 7 degrees results in no limiting factor for the site.

3.2 **Microrelief**

The microrelief will not result in a significant limiting factor for this site.

3.3 **Flooding**

A low to low risk of flooding from surface water, rivers and seas has been identified for the majority of the site (https://flood-warning-information.service.gov.uk/long-term-flood-risk). A small area categorised as a medium risk is mapped on the north of the site which places the area into ALC grade 3a.



SOIL LIMITATIONS 4

4.1 **Texture and structure**

The topsoil textures noted across the site were typically medium silty clay loam or sandy clay loam over clay subsoils. Subsoil structure was generally moderate medium subangular blocky over weak coarse subangular blocky. Little significant variation was noted across the site apart from some areas with a slightly deeper slowly permeable layer.

The site has previously been mapped as having soils of the following Associations:

The Wigton Moor Association soils on the north of the site are mapped as: Permeable fine and coarse loamy soils variably affected by groundwater, the drier soils being on slightly raised sites. Generally flat land. (https://www.landis.org.uk/)

The Clifton Association soils on the south of the site are mapped as: Slowly permeable seasonally waterlogged reddish fine and coarse loamy soils and similar soils with slight seasonal waterlogging. Some deep coarse loamy soils seasonally affected by groundwater. (https://www.landis.org.uk/)

Superficial Geology 1:50 000 scale superficial deposits description:

River Terrace Deposits, 1 - Sand and gravel Alluvium - Clay, silt, sand and gravel. Till, Devensian – Diamicton

Bedrock Geology 1:50 000 scale bedrock geology description:

Tarporley Siltstone Formation - Siltstone, mudstone and sandstone.

Page 7

Soil Environment Services 22/12/2023

4.2 **Depth**

Soil depth will not result in a significant limiting factor for this site.

4.3 **Stoniness**

Stoniness within the top 25 cm of soil is considered not to be a limiting factor for the soils on the site.

4.4 Chemical

Chemical contamination will not result in a significant limiting factor for this site.

Page 8 Soil Environment Services

5. INTERACTIVE LIMITATIONS

5.1 Wetness

The combination of the topsoil texture (medium silty clay loam or sandy clay loam), depth to the Slowly Permeable Layer, Wetness Class IV and the number of Field Capacity Days (206.3) results in ALC Grade 3b for the site. Observations of gleying and the depth to the slowly permeable layer vary and occasionally in a few areas place the soils into Wetness Class III which depending on the topsoil texture, result in ALC Grade 3a.

5.2. Droughtiness

The Available Water Capacity which subsequently when considered with respect to the Moisture Deficit for wheat and potatoes results in a slight droughtiness limitation of ALC Grade 2 for a small area of the site.

5.3 Erosion

Erosion will not result in a significant limiting factor for this site.

Soil Environment Services Page 9

22/12/2023

6. AGRICULTURAL LAND CLASSIFICATION

6.1 Most limiting factors

Grade 3b/3a land – Wetness Limitation

The combination of the topsoil texture (medium silty clay loam or sandy clay loam), depth to the Slowly Permeable Layer, Wetness Class IV and the number of Field Capacity Days (206.3) results in ALC Grade 3b for the site. Observations of gleying and the depth to the slowly permeable layer vary and occasionally in a few areas place the soils into Wetness Class III which depending on the topsoil texture, result in ALC Grade 3a.

6.2 Current grading

This survey has resulted in an Agricultural Land Classification of the following grades (Drawing 1):

7	Table 2.	ALC	gradings and limitations
Grade	ha	%	Limitation
1			
2			
3a	3	4.32	Wetness
3b	66.5	95.68	Wetness
4			
5			
Non-agricultural land			
Total	69.5	100%	

Soil Environment Services Page 10

DRAWING 1

ALC Grade

ALC Grades Grade 1 Grade 2 Grade 3a Grade 3b Grade 4 Grade 5 Non agricultural land Boring Pit

Soil Environment Services

Drawing Title: ALC Grade - North Drawing No.: 1

Scale: 1:10000 Date: 20/10/2023




Ordnance Survey copy licence PMR0046161

ALC Grades Grade 1 Grade 2 Grade 3a Grade 3b Grade 4 Grade 5 Non agricultural land Boring Pit

Soil Environment Services

Drawing Title: ALC Grade - Couth Drawing No.: 1

Scale: 1:10000 Date: 20/03/2023



Ordnance Survey copy licence PMR0046161

APPENDIX A

Soil profile data

Notes

All abbreviations relating to soil parameters are standard and derived from the guidance documents:

Agricultural Land Classification of England and Wales. Revised guidelines and criteria for grading the quality of agricultural land. MAFF. 1988. Soil Survey Field Handbook. Technical Monograph No.5. Soil Survey of England and Wales. 1976.

- The pit data is detailed in this table and information on structure and stone content copied to the appropriate boring profiles.
- 3 Any blanks or zeros in the cells indicate the data is not needed or appropriate for that cell.
- 4 If 'NA' is inserted in a cell the information is not appropriate on this occasion.
- 5. Boring or pit locations are directly (within 2 m accuracy) on the grid reference corresponding to the points on the map unless otherwise stated.
- A point directly marked on a track, boundary or other feature will be moved 2-3 m off the point or omitted if surrounding points and soil types allow.
- 7. Borings that are potentially within 15 m of a gas pipeline are limited to 0.4 m depth and the strata description in the data table below this depth will be extrapolated from nearby borings and upper strata characteristics.
- 8. The *Observation Density* is 1 per ha on a 100 m grid or using a semi *Free Survey* method if appropriate*. The letter 'B' in the second column of the data table refers to an observation point at which a boring will have been undertaken. In some situations it is not possible to visit the location due to for example crop status or animals in a field. In such cases, the location moved or nearby data is used. The soil, geology, topography, flood risk and aerial crop patterns are assessed from published sources and the soils will be subject to a full 120 cm depth boring if possible. If all data sources are agreeable, a soil pattern can be established.
 - * British Society of Soil Science. Working With Soil The Professional Competency Scheme. Agricultural Land Classification: England and Wales. How2 sheet 4.2.4. 2018.
- 9. For moisture balance calculations, *strongly, moderately* and *well developed* structure will equate to *good, moderate* or *poor* structure terms respectively in Table 14 of the guidelines.
- 10. Pit information in addition to that listed in the table below will be detailed in Section 4.1 and 4.3 if needed.

Obs	Grid ref. if off intersection	Boring or Pit	Grad. (deg)	Base Depth (cm)	OFFICE USE	Text.	Calc	Matrix colour	Motts./ black ferro. conc. %/ depth	Mott colour or FC if ferro. conc.	Ped face colour	Stns %	Stns type	Porosity	Struct (/F=firm consistence)	Degree of development	SPL depth (cm)	Gleying depth (cm)	SWC	Grade (wetness)	TAv	EAv	StTAv	StEAv	MBW	Grade (Drought. WHEAT)	MBP	Grade (Drought. POTATOES)
				30		MZCL	N	7.5YR32				0									19		1					
1		В	≤7	50		HCL		7.5YR42	10/30	5YR53		5	HR	Р	MSAB	MD	50	30	IV	3b	16	10	1	0.5	30.40	1	58.20	1
1		В	2/	70		HCL		7.5YR42	15/50	5YR53		5	HR	Р	CSAB	WK	30	30	10	30	12	7	1	0.5	30.40	1	36.20	1
				120		SCL		7.5YR42	15/70	5YR55		5	HR	Р	CPR	WK					13	8	1	0.5				
				30 75		HCL	N	7.5YR43 5YR33	10/30	10YR56		5	HR HR	P	MSAB	MD					18	10	1	0.5				
2		В	≤7	120		HCL		7.5YR42	30/75	GLEY1 6/10Y		5	HR	r	CSAB	WK	75	30	Ш	3b	16 12	7	1	0.5	65.35	1	60.25	1
				120																	0	0	0	0				
				30		HCL	N	7.5YR43				5	HR								18		1					
3		В	≤7	75		HCL		5YR33	10/30	10YR56		5	HR	Р	MSAB	MD	75	30	Ш	3b	16	10	1	0.5	65.35	1	60.25	1
				120		HCL		7.5YR42	30/75	GLEY1 6/10Y		5	HR		CSAB	WK					12	7	1	0.5				
				120 25		SZL	N	10YR32				5	HR								19	0	0	0				
				50		HCL		10YR43	10/30	10YR56		5	HR	Р	MSAB	MD					16	10	1	0.5				
4		В	≤7	65		HZCL		7.5YR42	15/50	10YR56		5	HR	Р	CSAB	WK	50	25	Ш	3a	12	6	1	0.5	21.51	2	54.08	1
				120		SCL		7.5YR43	20/65	10YR56		30	HR	Р	CPR	WK					13	8	1	0.5				
				30		HCL	N	7.5YR42				5	HR								18		1					
5		P	≤7	50		SCL		7.5YR53	15/30	10YR56		0	HR	Р	MSAB	WK	30	30	Ш	3b	13	8	1	0.5	55.12	1	44.25	1
				120 120		MSL		7.5YR42	30/50	GLEY1 6/10Y		15	HR		SG						11 0	8	0	0.5				
6											Р	oint on	nitted															
7											Р	oint on	nitted															
				30		HCL	N	7.5YR43				5	HR								18		1					
				75		HCL		5YR33	5/30	10YR56		5	HR	Р	MSAB	MD					16	10	1	0.5				
8		В	≤7	120		HCL		7.5YR42	30/75	GLEY1 6/10Y		5	HR		CSAB	WK	75	30	Ш	3b	12	7	1	0.5	65.35	1	60.25	1
				120																	0	0	0	0				
				25		SZL	N	10YR32				5	HR								19		1					
9		В	≤7	50		HCL		10YR43	10/30	10YR56		5	HR	P	MSAB	MD	50	25	Ш	3a	16	10	1	0.5	21.51	2	54.08	1
				65 120		HZCL SCL		7.5YR42 7.5YR42	15/50 20/65	10YR56 10YR56		5 20	HR HR	P P	CSAB CPR	WK					12	8	1	0.5				
				25		SZL	N	10YR32	20/03	1011/30		5	HR	r	CFK	VVK					19	0	1	0.5				
10				50		HCL		10YR43	10/30	10YR56		5	HR	Р	MSAB	MD					16	10	1	0.5	-			
10		В	≤7	65		HZCL		7.5YR42	15/50	10YR56		20	HR	Р	CSAB	WK	50	25	Ш	3a	12	6	1	0.5	20.27	2	50.78	1
				120		SCL		7.5YR42	20/65	10YR56		20	HR	Р	CPR	WK					13	8	1	0.5				
				30		MZCL	N	7.5YR33				0									19		1					
11		В	≤7	50 70		HCL		7.5YR42 7.5YR42	10/30 15/50	5YR53 5YR53		5	HR HR	P P	MSAB CSAB	MD	50	30	IV	3b	16 12	10 7	1	0.5	30.40	1	58.20	1
				120		SCL		7.5YR42	15/70	5YR55		5	HR	P	CPR	WK					13	8	1	0.5				
				25		ZL	N	10YR32				5	HR								23		1					
12		В	≤7	40		HCL		7.5YR42	10/30	10YR56		5	HR	Р	MSAB	MD	40	25	IV	3b	16	10	1	0.5	28.87	2	58.13	1
		"	٥,	55		HCL		10YR42	10/40	10YR56		10	HR	P	CSAB	WK		23		36	12	7	1	0.5	20.07	-	30.13	-
				120		SCL		7.5YR42	25/55	10YR56		35	HR	P	CPR	WK					13	8	1	0.5				
				30		HCL	N	7.5YR42	40/20	400055		5	HR		14510	14/1/					18		1	0.5				
13		В	≤7	50 120		SCL MSL		7.5YR53 7.5YR42	10/30 30/50	10YR56 GLEY1 6/10Y		15	HR HR	Р	MSAB SG	WK	30	30	Ш	3b	13 11	8	1	0.5	55.12	1	44.25	1
				120					,												0	0	0	0				
14				25		MCI	, n	100043			P	oint on	nitted								10		1					
				25 50		MCL	N	10YR42 7.5YR42	10/25	10YR56		5 15	HR	Р	CSAB	WK					18 13	8	1	0.5				
15		В	≤7	120		MSL		10YR42	15/50	GLEY1 6/10Y		20	HR	Ė	M/F		25	25	IV	3b	11	8	1	0.5	45.92	1	36.68	1
																					0	0	0	0				
				25		MCL	N	10YR42				10	HR								18		1					
16		В	≤7	50		SCL		7.5YR42	15/25	10YR56		20	HR	Р	CSAB	WK	25	25	IV	3b	13	8	1	0.5	42.30	1	33.05	1
		-		120		MSL		10YR42	25/50	GLEY1 6/10Y		20	HR		M/F			-			11	8	1	0.5				
				20		MZCL	N	7.5YR33				5	HR								0 19	0	0	0				
				50		C		7.5YR42	5/20	10YR56		10	HR	Р	MSAB	MD					16	10	1	0.5				
17		В	≤7	70		С		7.5YR53	15/50	10YR56		10	HR	Р	CSAB	WK	50	20	IV	3b	13	8	1	0.5	23.75	2	51.10	1
				120																	0	0	0	0				
				30		SCL	N	5YR32	5/10	5YR56		5	HR								17		1					
18		В	≤7	40		SC		7.5YR53	10/30	5YR56		5	HR	Р	MPR	WK	30	30	IV	3b	13	8	1	0.5	71.52	1	51.70	1
				120		SC		5YR44	20/45	10YR62		5	HR		CPR	MD					15	10	1	0.5				
				25		MCL	N	7.5YR32				5	HR								0 18	0	0	0				
				50		MZCL		10YR42	10/25	10YR56		5	HR	P	MSAB	MD					16	10	1	0.5				
19		В	≤7	68		HZCL		10YR42	15/50	10YR56		20	HR	P	CSAB	WK	50	25	IV	3b	12	6	1	0.5	19.37	2	48.40	1
				120		MLS		5YR44	15/68	10YR56		35	HR	Р	SG						11	8	1	0.5				
				20		MZCL	N	7.5YR33				5	HR								19		1					
20		P	≤7	50		С		7.5YR42	5/20	10YR56		5	HR	Р	MSAB	MD	50	20	IV	3b	16	10	1	0.5	23.74	1	51.40	1
20		1 .	"	70		С		7.5YR53	15/50	10YR56		5	HR	Р	CSAB	WK		-	•		13	8	1	0.5				_
20				120																	0	0	0	0				

Obs point	Grid ref. if off intersection	Boring or Pit	Grad. (deg)	Base Depth (cm)	OFFICE USE	Text.	Calc	Matrix colour	Motts,/ black ferro. conc. %/ depth	Mott colour or FC if ferro. conc.	Ped face colour	Stns %	Stns type	Porosity	Struct (/F=firm consistenc e)	Degree of development	SPL depth (cm)	Gleying depth (cm)	SWC	Grade (wetness)	TAv	EAv	StTAv	StEAv	MBW	Grade (Drought. WHEAT)	MBP	Grade (Drought. POTATOES)
				20		MZCL	N	7.5YR33				5	HR								19		1					
				50		C	IN	7.5YR42	5/20	10YR56		10	HR	Р	MSAB	MD					16	10	1	0.5				
21		В	≤7	70		С		7.5YR53	15/50	10YR56		10	HR	P	CSAB	WK	50	20	IV	3b	13	8	1	0.5	23.75	2	51.10	1
				120				7.511.55	15,50	2011130		20		·	COALD	****					0	0	0	0				
				25		MZCL	N	10YR43				5	HR								19		1					
				48		С	ļ	5YR43	25/25	10YR56		5	HR	Р	MSAB	MD					16	8	1	0.5				
22		В	≤7	70		С		5YR42	20/48	10YR56		5	HR	Р	CSAB	WK	50	25	IV	3b	13	7	1	0.5	25.70	2	55.41	1
				120					., .												0	0	0	0				
				25		MZCL	N	7.5YR42				5	HR								19		1					
22			_	50		С		5YR43	20/25	10YR56		5	HR	Р	MSAB	MD		25			16	8	1	0.5				
23		В	≤7	70		С		5YR42	30/50	10YR56		5	HR	Р	CSAB	WK	50	25	IV	3b	13	7	1	0.5	26.27	2	55.98	1
				120																	0	0	0	0				
				25		MZCL	N	7.5YR42				5	HR								19		1					
24		В	≤7	45		HZCL		10YR52	10/25	10YR56		5	HR	Р	MSAB	MD	45	25	IV	3b	16	10	1	0.5	22.95	2	51.55	1
24		ь	2/	70		С		7.5YR53	15/45	10YR56		15	HR	Р	CSAB	WK	45	23	IV	30	13	7	1	0.5	22.55	2	31.33	1
				120																	0	0	0	0				
				25		MZCL	N	7.5YR42				5	HR								19		1					
25		В	≤7	45		HZCL		10YR52	10/25	10YR56		5	HR	Р	MSAB	MD	45	25	IV	3b	16	10	1	0.5	23.90	2	53.05	1
				70		С		7.5YR53	15/45	10YR56		10	HR	Р	CSAB	WK					13	7	1	0.5				
				120																	0	0	0	0				
				25		MZCL	N	7.5YR42				2	HR								19		1					
26		В	≤7	45		HZCL		10YR52	10/25	10YR56		5	HR	P	MSAB	MD	45	25	IV	3b	16	10	1	0.5	26.20	2	55.90	1
				70		С		7.5YR53	15/45	10YR56		5	HR	Р	CSAB	WK					13	7	1	0.5				
				120				40000-													0	0	0	0				
				25		MZCL	N	10YR42	25 (25	10/056		0		_							19	_	1					
27		В	≤7	50		С		5YR43	25/25	10YR56		5	HR	P P	MSAB	MD	50	25	IV	3b	16	7	1	0.5	70.10	1	50.28	1
				70		С		5YR42	30/50	10YR56		5	HR	Р	CSAB	WK					13		1	0.5				
				120		MZCL		7 57042				-	LID								0	0	0	0				
				25			N	7.5YR42	10/25	10VDE6		5	HR	Р	MCAD	MD					19	10	1	0.5				
28		В	≤7	45 70		HZCL C		10YR52	10/25	10YR56 10YR56		5	HR HR	P	MSAB	MD	45	25	IV	3b	16 13	10 7	1	0.5	24.85	2	54.55	1
						C		7.5YR53	15/45	1011/30		3	пк	Р	CSAB	VVK					0	0	0	0.5				
				120 25		MZCL	N	10YR43				2	HR								19	U		0				
				50		C	N	5YR42	25/25	10YR56		2	HR	Р	MSAB	MD					16	8	1	0.5				
29		В	≤7	70		С		5YR42	30/50	10YR56		5	HR	P	CSAB	WK	50	25	IV	3b	13	7	1	0.5	28.75	2	58.45	1
				120		C		J1N42	30/30	101130		,	TIIN	г	CSAB	VVI					0	0	0	0.5				
				28		MZCL	N	10YR43				5	HR								19		1					
				50		С	i.,	5YR43	15/28	10YR56		5	HR	Р	MSAB	MD					16	8	1	0.5				
30		В	≤7	70		С		5YR42	30/50	10YR56		5	HR	P	CSAB	WK	50	28	IV	3b	13	7	1	0.5	27.13	2	56.83	1
				120					,												0	0	0	0				
				25		MZCL	N	10YR43				5	HR								19		1					
				50		С		5YR43	25/25	10YR56		5	HR	Р	MSAB	MD					16	8	1	0.5				
31		В	≤7	70		С		5YR42	30/50	10YR56		5	HR	Р	CSAB	WK	50	25	IV	3b	13	7	1	0.5	26.27	2	55.98	1
				120																	0	0	0	0				
				25		MZCL	N	7.5YR42				5	HR								19		1					
22		_	_	45		HZCL		10YR52	10/25	10YR56		5	HR	Р	MSAB	MD	45	25		21-	16	10	1	0.5	22.47			
32		В	≤7	70		С		7.5YR53	15/45	10YR56		5	HR	Р	CSAB	WK	45	25	IV	3b	13	7	1	0.5	32.47	1	54.55	1
				120																	0	0	0	0				
				20		MZCL	N	10YR41				5	HR								19		1					
33		В	≤7	50		HZCL		10YR53	10/25	7.5YR56		5	HR	Р	MSAB	MD	50	20	IV	3b	16	10	1	0.5	43.25	1	53.35	1
33			2,	100		С		7.5YR53	15/50	10YR56		10	HR	Р	CSAB	WK	30	20		30	13	7	1	0.5	43.23	•	33.33	•
				120		MS		5YR44	15/65	10YR56		5	HR		SG						7	5	1	0.5				
						MZCL	N	10YR41				5	HR								19		1					
34		В	≤7	50		HZCL		10YR53	10/25	7.5YR56		5	HR	Р	MSAB	MD	50	20	IV	3b	16	10	1	0.5	26.52	1	55.94	1
			"	100		С		7.5YR53	15/50	10YR56		10	HR	Р	CSAB	WK	1		Ė	'	13	7	1	0.5				
				120		MS		5YR44	15/65	10YR56		5	HR		SG						7	5	1	0.5				
				30		MZCL	N	7.5YR33				2	HR								19		1					
35		В	≤7	55		С		5YR53	5/30	5YR46		5	HR	P	MSAB	MD	55	30	IV	3b	16	10	1	0.5	70.29	1	60.45	1
				120		С		5YR43	20/55	5YR46		5	HR	Р	CSAB	WK					13	8	1	0.5				
				120																	0	0	0	0				
				30		HZCL	N	7.5YR33				2	HR								19		1					
36		В	≤7	60		С		5YR53	15/30	5YR46		5	HR	P	MSAB	MD	60	30	Ш	3b	16	10	1	0.5	71.24	1	61.87	1
				120		С		5YR43	25/60	5YR46		5	HR	Р	CSAB	WK					13	8	1	0.5				
				120		A 477.00		7 5.45													0	0	0	0				
				30		MZCL	N	7.5YR33		F		2	HR	-							19	L	1					
37		В	≤7	60		С		5YR53	5/30	5YR46		5	HR	P	MSAB	MD	60	30	IV	3b	16	10	1	0.5	71.24	1	61.87	1
				120		С		5YR43	20/60	5YR46		5	HR	Р	CSAB	WK					13	8	1	0.5				
				120		NATC!	N/	7 FVP22				1	LID								10	0	0	0				
				30		MZCL	N	7.5YR33	E/20	EVDAC		2	HR	D	MCAD	P.AP					19	10	1	0.5				
38		В	≤7	60 120		С		5YR53	5/30	5YR46		5	HR	P P	MSAB	MD	60	30	IV	3b	16	10	1	0.5	71.24	1	61.87	1
						·		5YR43	20/60	5YR46		5	HR	۲	CSAB	WK					13	8	1	0.5				
				120		MZCL	N	7.5YR33				2	HR								0 19	0	0	0				
				30 50		C	IN	7.5YR33 7.5YR43	5/30	7.5YR46		5	HR	Р	MSAB	MD					16	10	1	0.5				
39		Р	≤7	70		HZCL		5YR45	15/50	5YR46		5	HR	P	CSAB	WK	50	50	Ш	3a	12	6	1	0.5	27.42	2	57.12	1
				120		Gravel		31143	13/30	311140		100	HR	-	CJAB	**!					1	0.5	1	0.5				
				30		MZCL	N	7.5YR33				2	HR								19	J.3	1	0.5				
				50		C	14	7.5YR43	5/30	7.5YR46		5	HR	Р	MSAB	MD					16	10	1	0.5				
40		В	≤7	70		HZCL		5YR45	15/50	5YR46		15	HR	P	CSAB	WK	50	50	Ш	3a	12	6	1	0.5	26.32	2	54.92	1
				120		Gravel		311 1-1 3	23/30	3111-10		100	HR	· ·	COMB	***					1	0.5	1	0.5				
				120		Graver						100	пк								1	0.5	1	0.5				

Obs	Grid ref. if off intersection	Boring or Pit	Grad. (deg)	Base Depth (cm)	OFFICE USE	Text.	Calc	Matrix colour	Motts./ black ferro. conc. %/ depth	Mott colour or FC if ferro. conc.	Ped face colour	Stns %	Stns type	Porosity	Struct (/F=firm consistenc e)	Degree of development	SPL depth (cm)	Gleying depth (cm)	SWC	Grade (wetness)	TAv	EAv	StTAv	StEAv	MBW	Grade (Drought. WHEAT)	MBP	Grade (Drought.
				25		MZCL	N	7.5YR33				2	HR								19		1					
11		В	≤7	50		С		7.5YR53				5	HR	Р	MSAB	MD	50	50	IV	3b	16	10	1	0.5	62.40	1	54.93	1
				120 120		С		5YR45	20/50	2.5YR46		15	HR	P	CSAB	WK					13	8	0	0.5				
				25		MZCL	N	7.5YR42				0									19		1					
2		В	≤7	50		MZCL		10YR53	5/25	7.5YR56		10	HR	Р	MSAB	MD	50	25	IV	3b	17	10	1	0.5	66.30	1	57.40	1
-		_	-	120		С		7.5YR64	15/50	5YR54		10	HR	P	CSAB	WK					13	8	1	0.5		_		
				120 25		MZCL	N	7.5YR42				0									19	0	0	U				
3		Р	≤7	55		HZCL		10YR53	10/25	7.5YR56		10	HR	Р	MSAB	MD	55	25	IV	3b	17	10	1	0.5	64.76	1	58.30	1
•		Ċ		120		С		7.5YR64	15/55	5YR54		15	HR	Р	CSAB	WK	33	23		35	13	8	1	0.5	04.70	-	30.30	
				120 28		MZCL	N	7.5YR33				2	HR								19	0	0	0				
4		В	≤7	50		С		7.5YR53				5	HR	Р	MSAB	MD	50	50	IV	3b	16	10	1	0.5	63.41	1	55.04	1
+		В	5/	120		С		5YR45	20/50	2.5YR46		15	HR	Р	CSAB	WK	50	50	IV	30	13	8	1	0.5	63.41	1	55.94	
				120 28		MZCL	N	7.5YR42				0									19	0	0	0				
			_	55		MZCL		10YR53	5/28	7.5YR56		10	HR	Р	MSAB	MD					17	10	1	0.5				
5		В	≤7	120		С		7.5YR64	15/50	5YR54		10	HR	Р	CSAB	WK	50	28	IV	3b	13	8	1	0.5	68.28	1	60.28	1
				120								-									0	0	0	0				
				25 55		MZCL	N	7.5YR42 10YR53	10/25	7.5YR56		10	HR	Р	MSAB	MD					19 17	10	1	0.5				
5		В	≤7	120		C		7.5YR64	15/50	5YR54		10	HR	P	CSAB	WK	50	25	IV	3b	13	8	1	0.5	67.20	1	59.20	1
				120																	0	0	0	0				
				30 50		MZCL C	N	10YR53 5YR53	20/30	7.5YR54		5	HR HR	P	MSAB	MD					19 16	10	1	0.5				
7		В	≤7	120		С		5YR45	20/50	7.5YR54 7.5YR54		5	HR	P	CSAB	WK	50	30	IV	3b	13	8	1	0.5	67.72	1	57.40	1
				120																	0	0	0	0				
				30		MZCL	N	10YR53				0									19		1					
3		В	≤7	50 120		C C		5YR53 5YR45	20/30	7.5YR54 7.5YR54		5	HR HR	P P	MSAB CSAB	MD	50	30	IV	3b	16 13	10	1	0.5	71.32	1	61.00	:
				120				31143	20/30	7.51134		,	TIK	-	CJAB	VVI					0	0	0	0.5				
				28		MZCL	N	10YR53				5	HR								19		1					
9		В	≤7	45		HCL		5YR53	15/28	7.5YR54		5	HR	P	MSAB	MD	45	28	IV	3b	16	10	1	0.5	67.18	1	57.65	
				120 120		С		5YR45	15/45	7.5YR54		5	HR	P	CSAB	WK					13 0	8	0	0.5				
				30		MZCL	N	10YR41				0									19		1					
5		В	≤7	50		HZCL		10YR53	5/30	10YR56		2	HR	Р	MSAB	MD	50	30	IV	3b	16	10	1	0.5	31.95	1	62.20	
				70		C		10YR53	15/50	10YR56		0		Р	CSAB	WK	30	50		35	13	7	1	0.5	31.33	-	02.20	
				120 30		MS	N	5YR44 10YR41	15/70	10YR56		5	HR		SG						7 19	5	1	0.5				
			-	50		HZCL		10YR53	5/30	10YR56		5	HR	Р	MSAB	MD	50	20		21-	16	10	1	0.5				
1		В	≤7	70		С		10YR53	15/50	10YR56		0		Р	CSAB	WK	50	30	IV	3b	13	7	1	0.5	28.35	2	58.60	
				120		MS		5YR44	15/70	10YR56		5	HR		SG						7	5	1	0.5				
				30 55		MZCL C	N	7.5YR33 5YR53	30/30	5YR46		5 10	HR	P	MSAB	MD					19 16	10	1	0.5				
2		В	≤7	120		С		5YR54	30/55	5YR46		5	HR	P	CSAB	WK	55	30	IV	3b	13	8	1	0.5	66.93	1	56.95	1
3				120								Point	omitted								0	0	0	0				
				30 50		MZCL	N	10YR41 10YR53	5/30	10YR56		5	HR HR	P	MSAB	MD					19 16	10	1	0.5				
ı		Р	≤7	80		С		10YR53	15/50	10YR56		0		P	CSAB	WK	50	30	IV	3b	13	7	1	0.5	35.35	1	58.60	1
				120		MS		5YR44	20/80	10YR56		5	HR		SG						7	5	1	0.5				
				25		HCL C	N	5YR32	5/15	5YR56		5	HR		MADD	VAUV					18	7	1	0.5				
5		В	≤7	45 120		С		5YR44 5YR44	20/25	5YR56 10YR56		5	HR HR	P	MPR CPR	MM	25	25	IV	3b	13 16	7	1	0.5	67.18	1	57.65	
																					0	0	0	0				
				30		MZCL	N	7.5YR33				5	HR								19		1					
5		В	≤7	55		HZCL C		5YR53	30/30	5YR46		5	HR	P P	MSAB	MD	55	30	IV	3b	16	10	1	0.5	68.67	1	58.83	:
				120 120		C		5YR54	30/55	5YR46		5	HR	Р	CSAB	WK					13	8	0	0.5				
				28		MZCL	N	7.5YR33				2	HR								19		1					
,		В	≤7	55		С		5YR53	20/28	5YR46		2	HR	Р	MSAB	MD	55	28	IV	3b	16	10	1	0.5	67.18	1	57.65	:
				120 120		С		5YR54	30/55	5YR46		5	HR	Р	CSAB	WK					13 0	8	0	0.5				
												Point	omitted															
3				20		1470		7 54500				-									40		4					
}				30 55		MZCL C	N	7.5YR33 5YR53	30/30	5YR46		5	HR HR	P	MSAB	MD					19 16	10	1	0.5				
						С		5YR54	30/55	5YR46		5	HR	P	CSAB	WK	55	30	IV	3b	13	8	1	0.5	67.18	1	57.65	
		В	≤7	120																	0	0	0	0				
		В	≤7	120 120																		-		U				
		В	≤7	120 120 25		MZCL	N	7.5YR32	4= 4	p.m.:-		5	HR								19		1					
9		В	≤7	120 120		MZCL C	N	7.5YR32 5YR53 5YR54	15/25 30/55	5YR46 5YR46		5 5 5	HR HR	P P	MSAB CSAB	MD WK	55	25	IV	3b		10		0.5	67.25	1	57.40	1

Obs point	Grid ref. if off intersection	Boring or Pit	Grad. (deg)	Base Depth (cm)	OFFICE USE	Text.	Calc	Matrix colour	Motts./ black ferro. conc. %/ depth	Mott colour or FC if ferro. conc.	Ped face colour	Stns %	Stns type	Porosity	Struct (/F=firm consistenc e)	Degree of development	SPL depth (cm)	Gleying depth (cm)	SWC	Grade (wetness)	TAv	EAv	StTAv	StEAv	MBW	Grade (Drought. WHEAT)	MBP	Grade (Drought, POTATOES)
				25		HCL	N	5YR32	5/15	5YR56		5	HR								18		1					
		_	١	45		С		5YR44	20/25	5YR56		5	HR	Р	MPR	WK					13	7	1	0.5				
61		В	≤7	120		С		5YR44	20/45	10YR62		5	HR		CPR	MD	25	25	IV	3b	16	8	1	0.5	58.22	1	53.60	1
																					0	0	0	0				
				30		MZCL	N	10YR41	10/10	7.5YR56		0									19		1					
62		В	≤7	55		SCL		10YR53	15/30	7.5YR56		0		P	MSAB	MD	55	30	IV	3b	15	10	1	0.5	71.11	1	60.90	1
				120 120		С		5YR54	30/55	5YR54		5	HR	Р	CSAB	WK					13	8	0	0.5				
				30		MZCL	N	10YR42	10/10	7.5YR56		0									19	U	1	0				
				55		С		7.5YR54	15/30	5YR54		0		Р	MSAB	MD					16	10	1	0.5				
63		В	≤7	120		С		5YR54	30/55	5YR54		5	HR	Р	CSAB	WK	55	30	IV	3b	13	8	1	0.5	73.11	1	63.40	1
				120																	0	0	0	0				
				30		MZCL	N	10YR42	5/10	7.5YR56		0									19		1					
64		В	≤7	55		С		7.5YR54	15/30	5YR54		0		P	MSAB	MD	55	30	IV	3b	16	10	1	0.5	73.11	1	63.40	1
				120 120		С		5YR54	30/55	5YR54		5	HR	P	CSAB	WK					13	8	0	0.5				
				30		MZCL	N	10YR41	10/10	7.5YR56		0									19	U	1	0				
				55		С		7.5YR54	15/30	5YR54		0		Р	MSAB	MD					16	10	1	0.5				
65		В	≤7	120		С		5YR64	30/55	5YR54		0		Р	CSAB	WK	- 55	30	IV	3b	13	8	1	0.5	75.55	1	64.30	1
				120																	0	0	0	0				
66											P	oint om	itted															
				30		MZCL	N	10YR41	10/10	7.5YR56		0									19		1					
67		В	≤7	55		SCL		10YR53	15/30	7.5YR56		0		Р	MSAB	MD	55	30	IV	3b	15	10	1	0.5	71.11	1	60.90	1
07		В	2/	120		С		5YR54	30/55	5YR54		5	HR	Р	CSAB	WK	33	30	10	30	13	8	1	0.5	/1.11	1	00.90	1
				120																	0	0	0	0				
				30		MZCL	N	10YR41	10/10	7.5YR56		0									19		1					
68		В	≤7	55 120		С		7.5YR54 5YR54	15/30 30/55	5YR54 5YR54		5	HR	P P	MSAB CSAB	MD	55	30	IV	3b	16 13	10	1	0.5	73.11	1	63.40	1
				120				311.34	30/33	31K34		,	TIK	F	CSAB	VVK					0	0	0	0.5				
				25		MZCL	N	7.5YR42				0									19		1					
				55		HZCL		10YR53	5/25	7.5YR56		10	HR	Р	MSAB	MD		25		21.	17	10	1	0.5				
69		В	≤7	120		С		7.5YR64	15/50	5YR54		15	HR	Р	CSAB	WK	50	25	IV	3b	13	8	1	0.5	64.76	1	58.30	1
				120																	0	0	0	0				
				25		MZCL	N	5YR43				0									19		1					
70		В	≤7	45		SCL		5YR43 5YR44	F / 4F	EVEC		10	HR	P P	MSAB	MD	45	45	IV	3b	15	10	1	0.5	17.87	2	49.75	1
				65 120		MZCL		5YR44 5YR54	5/45 10/65	5YR56 5YR56		10	HR HR	Р	CSAB CSAB	WK					12	6	1	0.5				
				25		MZCL	N	5YR43	10/03	31100		0	- 1110		COAD	VVIC					19		1	0.5				
		_	١	55		SCL		2.5YR44	15/30	7.5YR56		5	HR	Р	MSAB	MD					15	10	1	0.5				
71		В	≤7	120		SCL		5YR54	30/55	5YR54		20	HR	Р	CSAB	WK	55	30	IV	3b	13	8	1	0.5	59.81	1	54.10	1
				120																	0	0	0	0				
				25		MZCL	N	10YR32				0									19		1					
72		Р	≤7	52		SCL		10YR53	10/30	10YR56		0		P	MSAB	MD	52	25	IV	3b	15	10	1	0.5	69.41	1	58.12	1
				120 120		SC		2.5YR53	30/52	10YR56		5	HR	P	CSAB	WK					13	8	0	0.5				
				25		SCL	N	7.5YR43				0									17		1					
		_	١	55		SCL		7.5YR42	2/25	7.5YR56		5	HR	Р	MSAB	MD					15	10	1	0.5				
73		В	≤7	120		SC		2.5YR44	25/55	10YR57		20	HR	Р	CSAB	WK	55	25	IV	3b	13	8	1	0.5	54.81	1	49.10	1
				120																	0	0	0	0				
				25		HZCL	N	10YR42	2/25	7.57056		0		_	NAC A D	140					191	10	1	0.5				
74		В	≤7	55 120		SCL		7.5YR42 10YR52	2/25 25/55	7.5YR56 7.5YR56		0		P P	MSAB CSAB	MD	55	25	IV	3b	15 13	10	1	0.5	501.55	1	489.80	1
				120		30		2011132	دو روے	,,,,,,,,,					SUMB	**K					0	0	0	0.5				
				25		SCL	N	10YR42				0									17	Ť	1					
75		В	≤7	55		SCL		7.5YR42	2/25	7.5YR56		0		Р	MSAB	MD	55	25	IV	3b	15	10	1	0.5	59.08	1	51.97	1
13			2/	120		SC		10YR52	25/55	7.5YR56		10	HR	Р	CSAB	WK	33	23	ı.v	30	13	8	1	0.5	39.06	1	31.97	1
				120																	0	0	0	0				
				25		SCL	N	10YR42	2/25	7.57056		2	HR	_	NAC A D	140					17	10	1	0.5				
76		В	≤7	55 120		SCL		7.5YR42 10YR52	2/25 25/55	7.5YR56 10YR56		5 15	HR HR	P P	MSAB CSAB	MD	55	25	IV	3b	15	10	1	0.5	56.45	1	51.97	1
				120		30		1011132	23/33	1011130		13	1110		COAD	VVIX					0	0	0	0.5				
77											Р	oint om	itted															
78											P	oint om	itted															
79											Р	oint om	itted															

Statement of competence - Agricultural land Classification

SES Ltd undertake several dozen Agricultural Land Classification (ALC) or Land Capability Classifications for Agriculture (LCCA-Scotland) surveys a year and have worked on sites up to 1000 ha including housing, roads, solar farm and mineral extraction developments.. We have been undertaking ALC surveys for 25 years and have won many contracts to supply Land Classification reports to local authorities as part of their strategic development plans. A number of our staff have attended the training course Agricultural Land Classification: England and Wales. Working with Soil – The IPSS Professional Competency Scheme. BSSS & DEFRA.

DR ROBIN DAVIES BSc PhD F.I.SoilSci. (Managing Director)

- Fellow of The British Society of Soil Science
- Council Member of The Institute of Professional Soil Scientists for 4 years.
- PhD Soil Physics Agricultural land drainage University of Newcastle upon Tyne
- Founder and Managing Director of Soil Environment Services Limited for 25 years.

Selected peer reviewed scientific papers:

- * Soil nitrogen depletion the threat from soil stockpiling. Environmental Scientist: Journal of The Institution of Environmental Sciences, 1997.
- Nitrogen loss from a soil, restored after surface-mining. Journal of Environmental Quality, 1995
- * The influence of soil factors on the growth of a grass/clover sward on a restored site in Northumberland. Grass & Forage Science, 1994.
- * The effect of post-restoration cropping regime on some physical properties of a restored soil. Soil Use & Management, 1994
- * Water availability in a restored soil. Soil Use & Management, 1992.
- * A laboratory Method for Investigating the Stabilisation of Mole Channels.J.Agric.Eng.Res.1991.

Louise Tavasso BSc (Hons). (Soil surveyor/ Environmental Consultant)

Member of British Society of Soil Science

Postgraduate short course Contaminated Land Risk assessment – LQM Nottingham University

Worked for Soil Environment Services Limited for 16 years. Environmental consultant with initial work in contaminated land risk assessment and since 2011 as assistant soil surveyor with last three years as lead consultant on agricultural land classification surveys. All work areas have required field survey and identification and description of soils combined with an understanding of soil processes for reporting.

Completed the BSSS Agricultural Land Classification Course - 2021.



Main areas of specialisation

1 Agricultural Land Classification

Soil survey and Agricultural Land Classification for planning applications –, roads, housing, solar parks. Fully conversant with the procedures of the Agricultural Land Classification of England and Wales, Guidelines and criteria for grading the quality of agricultural land, 1988, MAFF, London.

2 Soil survey for habitat restoration

Soil survey and nutrient analysis assessment for conversion of farmland to species rich grassland.

3 Contaminated land risk assessment

Phase 1 site survey risk assessment of contaminated land; site investigation, on-site <u>monitoring; risk</u> analysis, modelling and communication; recommendations for Phase 2 and remediation options.

Examples of Agricultural Land Classification (ALC or LCCA Scotland) consultancy work

Kier Mining. Greenburn Opencast Coal Site. Soils and deep peat survey for LCCA report soil resources planning.

Newcastle International Airport Ltd. ALC survey for solar park development. 2021.

Examples of soil survey habitat creation consultancy work

BSG Ecology. Backwork Estate - farmland conversion to wildflower meadow. 2020.

Private garden owner. Soil survey and recommendation for drainage system design. 2021

Examples of contaminated land consultancy work

Numerous risk assessments on petrol stations for hydrocarbon leakages (2006-2019) Farm building risk assessments for conversion to residential housing (2006-2019)

SES Ltd ALC CS V1 2021

GENERAL INFORMATION SOURCES

- **1.** Agricultural Land Classification of England and Wales. Revised guidelines and criteria for grading the quality of agricultural land. MAFF. 1988.
- **2.** *Soil Survey Field Handbook.* Technical Monograph No.5. Soil Survey of England and Wales.1976.
- 3. Climatological Data for Agricultural Land Classification, The Met. Office 1989
- **4.** *Soil Map of England and Wales: 1:250 000*. Soil Survey of England and Wales, Harpenden.
- 5. Soils and Their Use in South-Western England. Soil Survey of England and Wales,
- 6. Agricultural Land Classification Map 1:250 000. MAFF 1983.
- **7.** *Risk of Flooding:* https://flood-warning-information.service.gov.uk/long-term-flood-risk
- **8.** Geology of Britain Viewer. Reproduced with the permission of the British Geological Survey ©NERC. All rights Reserved
- **9.** Butler, B E. Soil Classification for Soil Survey Monographs on Soil Survey (1980) Clarendon Press, Oxford
- 10. Munsell Soil Colour Charts, Munsell Colour, Grand Rapids 1994.

GLOSSARY

ABBREVIATIONS AND TERMS USED IN SURVEY DATA

Soil pit and auger boring information collected during ALC survey is held on a computer database and is reproduced in this report. Terms used and abbreviations are set out below. These conform to definitions contained in the Soil Survey Field Handbook (Hodgson, 1997).

1. Terms used on computer database, in order of occurrence.

GRID REF: National 100 km grid square and 8 figure grid reference.

LAND USE: At the time of survey

WHT:	Wheat	SBT:	Sugar Beet	HTH:	Heathland
BAR:	Barley	BRA :	Brassicas	BOG:	Bog or Marsh
OAT:	Oats	FCD:	Fodder Crops	DCW:	Deciduous Wood
CER:	Cereals	FRT:	Soft and Top Fruit	CFW:	Coniferous Woodland
MZE:	Maize	HRT:	Horticultural Crops	PLO:	Ploughed
OSR:	Oilseed Rape	LEY:	Ley Grass	FLW:	Fallow (inc. Set aside)
POT:	Potatoes	PGR:	Permanent Pasture	SAS:	Set Aside (where known)
LIN:	Linseed	RGR:	Rough Grazing	OTH:	Other
BEN:	Field Beans	SCR:	Scrub		

GRDNT: Gradient as estimated or measured by hand-held optical clinometer.

GLEY, SPL: Depth in centimetres to gleying or slowly permeable layer.

AP (WHEAT/POTS): Crop-adjusted available water capacity.

MB (WHEAT/POTS): Moisture Balance. (Crop adjusted AP - crop potential

MD)

DRT: Best grade according to soil droughtiness.

If any of the following factors are considered significant, 'Y' will be entered in the relevant column.

MREL:	Microrelief limitation	FLOOD:	Flood risk	EROSN:	Soil erosion risk
EXP:	Exposure limitation	FROST:	Frost prone	DIST:	Disturbed land
	C1 1 1 1 1 1 1 1				

CHEM: Chemical limitation

LIMIT: The main limitation to land quality: The following abbreviations are used.

OC:	Overall Climate	AE:	Aspect	EX:	Exposure
FR:	Frost Risk	GR:	Gradient	MR:	Microrelief
FL:	Flood Risk	TX:	Topsoil Texture	DP:	Soil Depth
CH:	Chemical	WE:	Wetness	WK:	Workability
DR:	Drought	ER:	Erosion Risk	WD:	Soil

Wetness/Droughtiness

ST: Topsoil Stoniness

TEXTURE: Soil texture classes are denoted by the following abbreviations:-

S:	Sand	LS:	Loamy Sand	SL:	Sandy Loam
SZL:	Sandy Silt Loam	CL:	Clay Loam	ZCL	Silty Clay Loam
ZL:	Silt Loam	SCL:	Sandy Clay	C:	Clay
			Loam		
SC:	Sandy clay	ZC:	Silty clay	OL:	Organic Loam
P:	Peat	SP:	Sandy Peat	LP:	Loamy Peat
PL:	Peaty Loam	PS:	Peaty Sand	MZ:	Marine Light Silts

For the sand, loamy sand, sandy loam and sandy silt loam classes, the predominant size of sand fraction will be indicated by the use of the following prefixes:-

F: Fine (more than 66% of the sand less than 0.2mm)

M: Medium (less than 66% fine sand and less than 33% coarse sand)

C: Coarse (more than 33% of the sand larger than 0.6mm)

The clay loam and silty clay loam classes will be sub-divided according to the clay content: **M:** Medium (< 27% clay) **H:** heavy (27 - 35% clay)

MOTTLE COL: Mottle colour using Munsell notation.

MOTTLE ABUN: Mottle abundance, expressed as a percentage of the matrix or surface described.

F: few <2% C: common 2 - 20% M: many 20 - 40% VM: very many 40%+

MOTTLE CONT: Mottle contrast

F: faint - indistinct mottles, evident only on close inspection

D: distinct - mottles are readily seen

P: Prominent - mottling is conspicuous and one of the outstanding features of the horizon.

PED. COL: Ped face colour using Munsell notation.

GLEY: If the soil horizon is gleyed a 'Y' will appear in this column. If slightly gleyed, an 'S' will appear.

STONE LITH: Stone Lithology - One of the following is used.

HR: All hard rocks and stones
 CH: Chalk
 ZR: Soft, argillaceous, or silty rocks
 GH: Gravel with non-porous (hard) stones

MSST: Soft, medium grained sandstone GS: Gravel with porous (soft) stones

SI: Soft weathered igneous or metamorphic rock

Stone contents are given in % by volume for sizes >2cm, >6cm and total stone >2mm.

STRUCT: The degree of development, size and shape of soil peds are described using the following notation

Degree of development WA: Weakly developed WK: Weakly developed

Adherent

MD: Moderately ST: Strongly developed

developed

Ped size F: Fine M: Medium

C: Coarse VC: Very coarse

Ped Shape S: Single grain M: Massive

GR: Granular AB: Angular blocky

SAB: Sub-angular blocky PR: Prismatic

PL: Platy

CONSIST: Soil consistence is described using the following notation:

L: Loose VF: Very Friable FR: Friable FM: Firm VM: Very firm EM: Extremely firm EH: Extremely Hard

SUBS STR: Subsoil structural condition recorded for the purpose of calculating

profile droughtiness: G: Good M: Moderate P: Poor

POR: Soil porosity. If a soil horizon has poor porosity with less than 0.5% biopores >0.5mm, a 'Y' will appear in this column.

IMP: If the profile is impenetrable to rooting a 'Y' will appear in this column at the appropriate horizon.

SPL: Slowly permeable layer. If the soil horizon is slowly permeable a 'Y' will appear in this column.

CALC: If the soil horizon is calcareous with naturally occurring calcium carbonate exceeding 1% a 'Y' will appear this column.

2. Additional terms and abbreviations used mainly in soil pit descriptions.

STONE ASSESSMENT:

V: Visual S: Sieved D: Displacement

MOTTLE SIZE:

EF: Extremely fine < lmm M: Medium 5-15mm VF: Very fine 1-2mm> C: Coarse > 15mm

F: Fine 2-5mm

MOTTLE COLOUR: May be described by Munsell notation or as ochreous

(OM) or grey (GM).

ROOT CHANNELS: In topsoil the presence of 'rusty root channels' might

also be noted as RRC.

MANGANESE CONCRETIONS: Assessed by volume

N: None M: Many 20-40% F: Few <2% VM: Very Many >40%

C: Common 2-20%

POROSITY:

P: Poor - less than 0.5% biopores at least 0.5mm in diameter
G: Good - more than 0.5% biopores at least 0.5mm in diameter

ROOT ABUNDANCE:

The number of roots per 100cm ² :		Very Fine and Fine	Medium and Coarse
F:	Few	1-10	1 or 2
C:	Common	10.25	2 - 5
M:	Many	25-200	>5
A:	Abundant	>200	

ROOT SIZE

 VF:
 Very fine
 <1mm</th>
 M:
 Medium
 2 - 5mm

 F:
 Fine
 1-2mm
 C:
 Coarse
 >5mm

HORIZON BOUNDARY DISTINCTNESS:

 Sharp:
 <0.5cm</td>
 Gradual:
 6 - 13cm

 Abrupt:
 0.5 - 2.5cm
 Diffuse:
 >13cm

Clear: 2.5 - 6cm

HORIZON BOUNDARY FORM: Smooth, wavy, irregular or broken.*

^{*} See Soil Survey Field Handbook (Hodgson, 1997) for details.